The background of the entire advertisement is a photograph of a person's arm and hand operating a large, industrial-grade multi-material cutting saw. The saw is mounted on a sturdy metal stand with adjustable legs. The person is wearing a dark-colored shirt with red accents. The saw has a large, circular blade with a serrated edge, and the brand name 'evolution' is visible on its side. The entire image is overlaid with a semi-transparent orange filter. In the upper left, there is a rectangular box with a distressed, hand-painted appearance containing the words 'ACCURATE, RELIABLE, POWERFUL' in a bold, sans-serif font. At the bottom, the 'evolution' logo is prominently displayed in white, followed by the company's product focus in a smaller, bold, sans-serif font.

**ACCURATE,
RELIABLE,
POWERFUL**

evolution®

**MULTI-MATERIAL CUTTING SAWS
& CONTRACTOR TOOLS**



EVOLUTION'S MULTI-MATERIAL CUTTING TECHNOLOGY

MATERIALS YOU CAN CUT:

MILD STEEL

- ✓ ANGLED STEEL, BOX SECTION & TUBE
- ✓ METAL STUD
- ✓ DRY LINING
- ✓ REBAR DOMESTIC BUILDS
- ✓ RSJ DOMESTIC BUILDS
- ✓ STEEL PLATE (6MM)

ALUMINIUM

- ✓ ARMoured CABLES
- ✓ CABLE TRAY
- ✓ COPPER PLUMBING
- ✓ FLOOR EDGINGS
- ✓ ROOF FLASHINGS
- ✓ STAIR NOSINGS

WOOD

- ✓ HARDWOOD & TREATED DECKING
- ✓ MDF LAMINATES
- ✓ MOULDINGS
- ✓ RECLAIMED TIMBER WITH NAILS
- ✓ SCAFFOLD BOARDS
- ✓ STUDWORK TIMBER

PLASTICS

- ✓ ELECTRICAL CONDUIT
- ✓ PLASTIC PIPES
- ✓ PLEXIGLASS
- ✓ RUBBER & REINFORCED HOSES
- ✓ WPC COMPOSITES

DIAMOND BLADES:

STONE

- ✓ BLOCK PAVING
- ✓ COPING STONES
- ✓ ROOFING TILE REPAIRS
- ✓ UNGLAZED CERAMICS



Segmented Rim Blades

(ø 185mm, ø 305mm and ø 355mm)

Hot pressed turbo segmented rim for consistent cutting ability.

Continuous Rim Blades

(ø 210mm and ø 255mm).

Provides the smoothest cut in ceramic tiles and ornamental stone.

**Diamond blades fit on Evolution multipurpose saws only.*

PERFECT FOR:

- ✓ BUILDERS
- ✓ CARPENTERS
- ✓ AUTO MECHANICS
- ✓ INDUSTRIAL FITTERS
- ✓ PROPERTY & LOFT CONVERTERS
- ✓ KITCHEN FITTERS


- ✓ ARCHITECTURAL METALWORKERS
- ✓ ROOFING CONTRACTORS
- ✓ DRY LINERS
- ✓ LANDSCAPERS
- ✓ PIPEFITTERS
- ✓ FABRICATORS

- ✓ FENCING CONTRACTORS
- ✓ DIY ENTHUSIASTS & UPCYCLERS
- ✓ ELECTRICAL FITTERS
- ✓ FLOOR FITTERS
- ✓ CEILING FIXERS
- ✓ PLUMBERS

- ✓ DRIVEWAY, PATH & PATIO INSTALLERS
- ✓ MAINTENANCE TECHNICIANS
- ✓ WINDOW INSTALLERS

RELIABLE & POWERFUL MOTORS

Hi-Torque Gearbox & Patented Blade System,
For Increased Motor & Blade-Life.




DURABLE & SAFE

Machines Tested For 'Best-In-Class'
3 Year Limited Warranty*. Cuts Without Heat,
Burr-Free & Virtually No Sparks.

*3 Year Warranty. Saws only.

ACCURATE & EASY TO USE TOOLS

Clean & Consistent Precision Cuts.
Clear & Concise Adjustment Settings.



INCREASED PRODUCTIVITY

Unlike Abrasive Discs, TCT Blades' Depth-of-Cut
Remain Constant Throughout Blade Life =
Longer Life & Fewer Blade Changes.

WOOD WITH EMBEDDED NAILS

Cuts Nail-Embedded Wood Easily
When Working With Reclaimed Materials.



THE TECHNOLOGY BEHIND THE CUT



HEAVY-DUTY TUNGSTEN CARBIDE TEETH (TCT)

High heat resistant teeth maximizes cutting life with no coolant required demonstrating outstanding durability.




ANTI-KICKBACK SHOULDER GULLET

For safe and reliable cutting through steel and wood with embedded nails without breaking the teeth, resulting in a smooth, accurate finish every time.



FULLY HARDENED BODY PLATE

High tension body keeps the blade stabilized, dampening vibration and reducing blade warp.



THIN KERF DESIGN

Much thinner than abrasive discs, the Evolution® blade delivers precision, accuracy and longer cutting life.



MADE IN JAPAN

Premium, high-quality silver alloy, ensures the blade runs truer for longer.

MULTI-MATERIAL TUNGSTEN CARBIDE TIPPED BLADES

- ✓ **CUT MILD STEEL WITH NO HEAT, NO BURRS
& VIRTUALLY NO SPARKS**
- ✓ **CUT WOOD WITH EMBEDDED NAILS**
- ✓ **INSTANT WORKABLE FINISH
ON BOTH WOOD & STEEL**
- ✓ **OUTPERFORMS ABRASIVE SAWS
= LOWEST COST PER CUT**
- ✓ **COMPATIBLE WITH EVOLUTION SAWS ONLY**

All Evolution multi-material TCT saw blades are made in Japan and are of premium quality and performance.



R185 TCT

185mm
Teeth: 20 TCT
Kerf: 1.7mm
Bore: 20mm
Max RPM: 4400

RAGEBLADE185MULTI
(R185TCT-20CS)



R210 TCT

210mm
Teeth: 24 TCT
Kerf: 1.7mm
Bore: 25.4mm
Max RPM: 5000

RAGEBLADE210MULTI



R255 TCT

255mm
Teeth: 28 TCT
Kerf: 2mm
Bore: 25.4mm
Max RPM: 3250

RAGEBLADE255MULTI



R355 TCT

355mm
Teeth: 36 TCT
Kerf: 2.2mm
Bore: 25.4mm
Max RPM: 2500

RAGEBLADE355MULTI

DIAMOND BLADES

Segmented Rim Blades

185mm, 305mm, 355mm Hot pressed turbo segmented rim for consistent cutting through natural stone, concrete, paving and more.

Continuous Rim Blades

210mm, 255mm. Provides the smoothest cut in tiles and ornamental stone.



185



185mm

Segmented Rim
Bore: 20mm
Max. RPM: 8000

RAGEBLADE185DIAMOND



210



210mm

Continuous Rim
Bore: 25.4mm
Max. RPM: 4500

RAGEBLADE210DIAMOND



255



255mm

Continuous Rim
Bore: 25.4mm
Max. RPM: 6150

RAGEBLADE255DIAMOND



305



305mm

Segmented Rim
Bore: 25.4mm
Max. RPM: 5000

RAGEBLADE305DIAMOND



355



355mm

Segmented Rim
Bore: 25.4mm
Max. RPM: 6400

RAGEBLADE355DIAMOND

R185 CCS

UK 110v: 027-0002C, UK 230v: 027-0001C, EU 230v: 027-0003C

185MM TCT MULTI-MATERIAL CIRCULAR SAW

The ideal circular saw for any trade or workshop. Equipped with an adjustable 64mm cutting depth and 0° - 60° bevel tilt with 22.5° and 45° bevel detents. This saw has the power to perform - Tested and trade rated to cut through a variety of materials with ease.

- Multi-Material Cutting Technology
- 1600W Powerful Hi-Torque Motor
- 64mm Adjustable Depth of Cut
- 0° - 60° Bevel Cut
- Parallel Edge Guide Included
- Dust Port Adaptor Included
- Lightweight & Portable
- Fast & Easy Blade Change
- 3 Year Limited Warranty

BLADE

Multi-Material
TCT Blade

Size: **185mm**
Bore: **20mm**
Kerf: **1.7mm**
Teeth: **20**
Code: **RAGEBLADE185MULTI**



1600W



64mm (0°)



40mm (45°)



Ergonomic Handle



Lightweight
& Portable



25.4mm (1")
Cutting Depth
at 60° Bevel Tilt

 **4.9kg**
11lbs



64mm Adjustable
Depth of Cut



0° - 60°



6mm
Mild Steel

R185 CCSX +

UK 110v: 027-0002A, UK 230v: 027-0001A, EU 230v: 027-0003A

 **5.1 kg**
11.2 lbs

185MM TCT MULTI-MATERIAL CIRCULAR SAW

**TRACK
COMPATIBLE**



1600W



64mm (0°)



47mm (45°)

The ultimate multi-material cutting circular saw. Designed by the trade for the trade. The R185CCSX+ model gives you extra functionality, extra support and extra reach than any other Evolution circular saw in the family. Integrated LED light, channelled air-flow, 4m cable, storage bag and compatibility with Evolution's 1.4m & 2.8m tracks, are just some of the features included in this package.

(Tracks Sold Separately)

SPECIFICATION

- Multi-Material Cutting Technology
- 1600W Powerful Hi-Torque Motor
- 64mm Adjustable Depth of Cut
- 0° - 45° Bevel Cut
- Parallel Edge Guide Included
- Dust Port Adaptor Included
- Lightweight & Portable
- Fast & Easy Blade Change
- 3 Year Limited Warranty

BLADE

Multi-Material
TCT Blade

Size: **185mm**
Bore: **20mm**
Kerf: **1.7mm**
Teeth: **20**
Code: **RAGEBLADE185MULTI**



PLUS FEATURES



PREMIUM TCT BLADE

Long-life multi-material cutting tct blade for smoother cuts.



LED LIGHT

Optimum visibility of your cutting line.



CLEANER & SAFER WORKING

Dust port adaptor for use with vacuum extraction.



4M POWER CABLE

Reduces the need for extension leads.



STORAGE BAG

Easy to carry & transport around the workplace.



Adjustable
Depth of Cut



0° - 45°



6mm
Mild Steel

ST 1400

Product ID: 004-0001

1.4M CIRCULAR SAW TRACK & CLAMPS

- Supplied in 2 pieces of 700mm track with connectors
- Perfect for 4ft sheet materials
- Achieve straight line cutting
- Easily store & transport with carry bag
- Low friction glide strips ensures the circular saw glides smoothly over the track
- Easily fix track to the workpiece with specially designed clamps included
- Compatible with most circular saws with a track compatible base
- Designed for the Evolution R185CCSX & R185CCSX+

For the full list of compatible circular saws go to www.evolutionpowertools.com



3 kg
6.6 lbs



1400mm
2 x 700mm



182mm



Storage Bag
Included

For the full list of compatible circular saws
go to www.evolutionpowertools.com

ST 2800

Product ID:004-0010

2.8M CIRCULAR SAW TRACK & CLAMPS

- Supplied in 2 pieces of 1400mm track with connectors
- Perfect for 8x4ft sheet materials
- Achieve straight line cutting
- Easily store & transport with carry bag
- Low friction glide strips ensures the circular saw glides smoothly over the track
- Easily fix track to the workpiece with specially designed clamps included
- Compatible with most circular saws with a track compatible base
- Designed for the Evolution R185CCSX & R185CCSX+



 **4.7 kg**
10.4 lbs



2800mm
2 x 1400mm



182mm



Storage Bag
Included

R185 CCSX

UK 110v: 027-0002, UK 230v: 027-0001, EU 230v: 027-0003

185MM TCT MULTI-MATERIAL CIRCULAR SAW + 3X 340MM TRACK COMBO PACK

With a 1.2m track included this circular saw is hard to ignore. Power and precision at the forefront of its design, the R185CCSX ensures accuracy and reliability to get the job done faster, smoother and safer than ever before. True value for money with 3 years limited warranty.

- Multi-Material Cutting Technology
- 1600W Powerful Hi-Torque Motor
- 64mm Adjustable Depth of Cut
- 0° - 45° Bevel Cut
- Parallel Edge Guide Included
- Soft Grip, Ergonomic T-Handle
- Lightweight & Portable
- Fast & Easy Blade Change
- 3 Year Limited Warranty

BLADE

Multi-Material
TCT Blade

Size: **185mm**
Bore: **20mm**
Kerf: **1.7mm**
Teeth: **16**
Code: **RAGEBLADE185MULTI**



1600W



64mm (0°)



47mm (45°)



COMBO PACK

Includes:
1020MM TRACK
3X 340MM PIECES
+ CONNECTORS



 **5.1 kg**
11.2 lbs



Adjustable
Depth of Cut



0° - 45°



6mm
Mild Steel





**ACCURATE,
RELIABLE,
POWERFUL.**

R210 CMS

 **5.8 kg**
12.5 lbs

UK 110v: 046-0002A, UK 230v: 046-0001A, EU 230v: 046-0003A

210MM TCT MULTI-MATERIAL COMPOUND MITRE SAW



1200W



125 x 55mm



85 x 55mm

Evolution's most compact 210mm compound mitre saw - designed to cut a variety of materials at any desired angle. Couple this with the Evolution Mitre Saw Stand to provide additional support for extra long workpieces, gives you the best value for maximum productivity.

(Mitre Stand Sold Separately)

SPECIFICATION

- Multi-Material Cutting Technology
- 1200W Powerful Hi-Torque Motor
- 125 x 55mm Cross Cut Capacity
- 0° - 45° Bevel Cut
- Top Clamp
- 2m Power Cable
- Dust Bag Included
- Lightweight & Portable
- Fast & Easy Blade Change
- 3 Year Limited Warranty

FEATURES



DUST BAG INCLUDED

Dust bag for a cleaner & safer working area.



LIGHTWEIGHT & PORTABLE

Allows for quick and easy transport from job to job.



COMPACT DESIGN

Easily storable in both the workshop & vehicle.



ERGONOMIC HANDLE

Ambidextrous, soft grip handle for maximum comfort

BLADES

Multi-Material TCT Blade

Size: **210mm**
Bore: **25.4mm**
Kerf: **1.7mm**
Teeth: **24**
Code: **RAGEBLADE210MULTI**



Diamond Blade

Size: **210mm**
Bore: **25.4mm**
Kerf: **2.2mm**
Teeth: **Continuous Rim**
Code: **RAGEBLADE210DIAMOND**



125 x 35mm



85 x 35mm



6mm
Mild Steel

R210 SMS +

UK 110v: 048-0002A, UK 230v: 048-0001A, EU 230v: 048-0003A

 **13.85 kg**
30.9 lbs

210MM TCT MULTI-MATERIAL SLIDING MITRE SAW



1500W



230 x 65mm



150 x 65mm

Go premium and equip yourself with the best 210mm sliding mitre saw on the market. Multi-material cutting technology with all the features you'll need to get the job done. Delivering accuracy, reliability and the power to handle heavy-duty materials - the R210SMS+ is truly superb value for money.

SPECIFICATION

- Multi-Material Cutting Technology
- 1500W Powerful Hi-Torque Motor
- 230 x 65mm Cross Cut Capacity
- Laser Guided Accuracy
- 0° - 45° Bevel Cut
- 50° - 50° Mitre Cut
- Top & Long Front Clamps
- Fast & Easy Blade Change
- 3 Year Limited Warranty

BLADES

Multi-Material
TCT Blade

Size: 210mm
Bore: 25.4mm
Kerf: 1.7mm
Teeth: 24
Code: RAGEBLADE210MULTI

Diamond
Blade

Size: 210mm
Bore: 25.4mm
Kerf: 2.2mm
Teeth: Continuous Rim
Code: RAGEBLADE210DIAMOND



PLUS FEATURES



PREMIUM TCT BLADE

Long-life multi-material cutting tct blade for smoother cuts.



INTEGRATED CARRY HANDLES

Easy to carry & transport around the workplace.



QUICK RELEASE CLAMPS

Top & front for additional Accuracy & Faster Adjustments.



SLIDE RAIL PROTECTOR

Protects against damage & prevents dust ingress.



DUST BAG INCLUDED

Dust Collection Bag & Dust Port Adaptor for use with Vacuum Extraction.



3M POWER CABLE

Reduces the need for extension leads.



230 x 38mm



150 x 38mm



6mm
Mild Steel

R210

SMS-300+

UK 110v: 048-0031A, UK 230v: 048-0030A, EU 230v: 048-0032A

 **13.2 kg**
29 lbs

210MM TCT MULTI-MATERIAL SLIDING MITRE SAW WITH 300MM SLIDE



1500W



300 x 65mm



210 x 65mm

The perfect hybrid between a 210mm and 255mm sliding mitre saw.

The R210SMS-300+ maintains a more compact and robust design of a 210mm model but with the 300mm cross cutting capacity of it's bigger 255mm brother. Equipped with "PLUS" model features, this is the ultimate cutting solution for any trade.

SPECIFICATION

- Multi-Material Cutting Technology
- 1500W Powerful Hi-Torque Motor
- 300 x 65mm Cross Cut Capacity
- 300mm Slide
- 0° - 45° Bevel Cut
- 50° - 50° Mitre Cut
- Top & Long Front Clamps
- Fast & Easy Blade Change
- 3 Year Limited Warranty

BLADES

Multi-Material
TCT Blade

Size: 210mm
Bore: 25.4mm
Kerf: 1.7mm
Teeth: 24
Code: RAGEBLADE210MULTI

Diamond
Blade

Size: 210mm
Bore: 25.4mm
Kerf: 2.2mm
Teeth: Continuous Rim
Code: RAGEBLADE210DIAMOND

PLUS FEATURES



PREMIUM TCT BLADE

Long-life multi-material cutting tct blade for smoother cuts.



INTEGRATED CARRY HANDLES

Easy to carry & transport around the workplace.




QUICK RELEASE CLAMPS

Top & front for additional Accuracy & Faster Adjustments.



DUST BAG INCLUDED

Dust Collection Bag & Dust Port Adaptor for use with Vacuum Extraction



3M POWER CABLE

Reduces the need for extension leads.



300 x 38mm



210 x 38mm



6mm
Mild Steel

R255 SMS +

UK 110v: 052-0002A, UK 230v: 052-0001A, EU 230v: 052-0003A

 **16 kg**
35.4 lbs

255MM TCT MULTI-MATERIAL SLIDING MITRE SAW



2000W
(230v)
1600W
(110v UK Only)



300 x 80mm



210 x 80mm

Trade rated and approved the R255SMS+ is the ultimate tool on the job site. Accuracy, power and reliability at the forefront of its design, this 255mm sliding mitre saw is equipped to power through 6mm thick mild steel, and cut hardwood, laminate and even nail embedded wood with precision.

SPECIFICATION

- Multi-Material Cutting Technology
- 2000W Powerful Hi-Torque Motor
- 300 x 80mm Cross Cut Capacity
- Laser Guided Accuracy
- 0° - 45° Bevel Cut
- 50° - 50° Mitre Cut
- Tall Fence
- Top & Long Front Clamps
- Fast & Easy Blade Change
- 3 Year Limited Warranty

BLADES

Multi-Material
TCT Blade

Size: 255mm
Bore: 25.4mm
Kerf: 2mm
Teeth: 28
Code: RAGEBLADE255MULTI

Diamond
Blade

Size: 255mm
Bore: 25.4mm
Kerf: 2.4mm
Teeth: Continuous Rim
Code: RAGEBLADE255DIAMOND

PLUS FEATURES



PREMIUM TCT BLADE

Long-life multi-material cutting TCT blade for smoother cuts.



INTEGRATED CARRY HANDLES

Easy to carry & transport around the workplace.



QUICK RELEASE CLAMPS

Top & front for additional Accuracy & Faster Adjustments.



SLIDE RAIL PROTECTOR

Protects against damage & prevents dust ingress.



DUST BAG INCLUDED

Dust Collection Bag & Dust Port Adaptor for use with Vacuum Extraction



TALL FENCE

Provides extra support for cutting crown moulding.



3M POWER CABLE

Reduces the need for extension leads.



300 x 45mm



210 x 45mm



6mm
Mild Steel

RAGE 3-DB

UK 110v: 043-0002, UK 230v: 043-0001,
EU 230v: 043-0003

255MM TCT MULTI-MATERIAL SLIDING MITRE SAW

- Multi-Material Cutting Technology
- 2000W Powerful Hi-Torque Motor
- 320 x 80mm Cutting Capacity
- Laser Guided Cutting Accuracy
- 45°-45° Double Bevel
- Fast & Easy Blade Change
- 3 Year Limited Warranty

| 255MM BLADES | BORE | KERF | TEETH/RIM | |
|--------------------|--------|-------|------------|---------------------|
| Multi-Material TCT | 25.4mm | 2mm | 28 | RAGEBLADE255MULTI |
| Diamond Blade | 25.4mm | 2.4mm | Continuous | RAGEBLADE255DIAMOND |

19.6 kg
43 lbs

Picture shown is for promotional purposes. Do not cut more than one material at a time.



2000W (230v)
1600W (110v UK Only)



320 x 80mm



225 x 80mm



320 x 40mm



225 x 40mm



6mm Mild Steel

MITRE SAW STAND WITH EXTENDABLE ARMS

005-0001

SUPPORTS WORKPIECES UP TO 3M & 150 KG WORKLOAD

A fantastic addition to Evolution's product range perfectly complimenting Evolution's mitre saws, as well as most other makes of mitre saw. Easily and quickly set up, with foldable legs for simple storage and transportation.

- Key features include quick-release mounting brackets for fast saw removal and height adjustable arms with rollers and end-stops.



15.5 kg
34 lbs



Compatible with most
Power Tool Brands



110cm



60cm




75cm



180cm

RAGE 5-S

UK 110v: 057-0002, UK 230v: 057-0001, EU 230v: 057-0003

 **33.5 kg**
73.9 lbs

255MM TCT MULTI-MATERIAL TABLE SAW

- Multi-Material Cutting Technology
- 1800W Powerful Hi-Torque Motor
- 83mm Depth of Cut
- 0°- 45° Bevel / Tilt Capability
- Folds for Easy Storage
- Adjustable Blade Height
- ON/OFF Safety Switch
- 1.5m Durable Cable with Built-In Cable Storage
- Dust Extraction with 1.8m Hose Supplied
- Sliding Table for Smoother Control
- Extendable Table
- Durable, Dual Point Clamping Rip Fence
- 3 Year Limited Warranty



255MM BLADE

Multi-Material TCT

BORE

25.4mm

KERF

2mm

TEETH

28

RAGEBLADE255MULTI



1800W (230v)
1600W (110v UK Only)




83mm



58mm



**650mm Rip Capacity
To The Right**



**H: 1050mm
W: 940mm
D: 750mm**



1200mm x 640mm

RAGE 2

 **20kg**
44lbs

230v: 085-0003

355MM TCT MULTI-MATERIAL CHOP SAW

- Multi-Material Cutting Technology
- 2200W Powerful Hi-Torque Motor
- 180mm x 95mm Cross Cut Capacity
- 120mm² Box Section Capacity
- 130mmØ Round Tube Capacity
- Fast & Easy Blade Change
- 3 Year Limited Warranty

BLADES

| | Multi-Material TCT Blade | Diamond Blade |
|--------|-----------------------------|---------------------|
| Size: | 355mm | 355mm |
| Bore: | 25.4mm | 25.4mm |
| Kerf: | 2.4mm | 2.4mm |
| Teeth: | 36 | Segmented Rim |
| Code: | RAGEBLADE355MULTI | RAGEBLADE355DIAMOND |



2200W
(230v)
1800W
(110v UK Only)




95 x 180mm



78 x 110mm



120 x 120mm



89 x 89mm



Ø 130mm



Ø 105mm



6mm
Mild Steel

RAGE 4

UK 110v: 081-0007, UK 230v: 081-0006, EU 230v: 081-0008

185MM TCT MULTI-MATERIAL CHOP SAW

- Multi-Material Cutting Technology
- 1250W Powerful Hi-Torque Motor
- 97mm x 46mm Rectangle at 90°
- 45mm Square at 90°
- 46mmØ Round Tube Capacity
- 0°- 45° Mitre Cutting Capability
- Fast & Easy Blade Change
- 3 Year Limited Warranty

185MM BLADES

Multi-Material TCT
Diamond Blade

BORE

20mm
20mm

KERF

1.7mm
2.3mm

TEETH/RIM

20
Segmented

R185TCT-20CS

RAGEBLADE185DIAMOND

8.95 kg
19.7 lbs



0°- 45°
Mitre Detents



1250W



97 x 46mm



45 x 45mm



Ø 46mm



6mm



0° - 45°

DISC CUTTER

UK 110v: 008-0002, UK 230v: 008-0001, EU 230v: 008-0004

305MM ELECTRIC CONCRETE SAW

- Cuts Reinforced Concrete, Stone & Brick
- 2400W Powerful Hi-Torque Motor
- Electric Powered
- 100mm Depth of Cut
- Electric Motor = No Petrol Fumes
- Diamond Blade Included
- 2 Years Limited Warranty

305MM BLADE

Diamond Blade

BORE

22.2mm

KERF

3.2mm

RIM

Segmented

RPM

5000

9.5 kg
21 lbs



2400W (230v)
2000W (110v UK Only)



100mm* ↓
4 In.



No Fumes



Max
3.788m/s²



Max
112dB(A)

CYCLONE

097-0001

MAGNETIC SHAVING COLLECTOR


Easily Picks up Steel Shavings and other Ferrous workshop debris

- Rubber grip handle
- Maximum lifting weight: 6.5 kg



0.5 Kg

Simply slide the plunger and the shavings are neatly deposited.



TWISTER

UK 110v: 013-0002, UK 230v: 013-0001, EU 230v: 013-0003

1100W VARIABLE SPEED MIXER

SUPPLIED WITH MIXING PADDLE

- Variable Speed Control: 250-750min-1
- Vibration Data: 0.5-0.7m/s2
- Ergonomic Soft Grip Handle
- No More Manual Mixing
- 2 Years Limited Warranty

MIX:

Plaster, Mortar & Cement.
Ideal for all Popular Mixing Applications



4.9 kg
10.8 lbs

Twister Paddle Available: 013-0006



1100W



250-750min-1
Variable



Ergonomic Handle



+ Paddle



0.5-0.7m/s2



M14

RAGE 7-S

UK 230v: 075-0002, EU 230v: 075-0003

CORDED JIGSAW WITH VARIABLE SPEED CONTROL & BLADES

- Multi-Material Cutting Technology
- 710W Powerful Hi-Torque Motor (230v)
- 80mm Depth of Cut
- 8mm Mild Steel Plate
- Quick Release Blade Change
- Adjustable Parallel Edge Guide
- 2 Years Limited Warranty

REPLACEMENT BLADE PACK OF 5 075-0200

Multi-Material Cutting Blades Available for Steel, Aluminium & Wood.



Adjustable Parallel Edge Guide

4.1 kg
9 lbs



710W (230v)
600W (110v UK Only)



8mm Steel



80mm Wood



26mm Length



0° - 45°
Bevel Facility



Laser Guided
Cutting Accuracy

RAGE 8

UK 110v: 045-0002, UK 230v: 045-0001, EU 230v: 045-0003

MULTI-MATERIAL CUTTING RECIPROCATION SAW & BLADES

- Multi-Material Cutting Technology
- 1050W Powerful Hi-Torque Motor
- 230mm Wood
- 20mm Mild Steel Plate
- Adjustable Pivot Plate
- Fast & Easy Blade Change
- 2 Years Limited Warranty

WOOD CUTTING BLADE PACK 045-0254

Includes 1 x Green Wood Blade & 1 x General Wood Blade.

THIN STEEL & MULTI-MATERIAL BLADE 045-0255

Includes 1 x Thin Steel Blade & 1 x Multi-Material Blade.



Carry Case
Included



3.7 kg
8 lbs



1050W



20mm



230mm Wood



Wood with Nails



28mm Length



800-2400spm
Variable

HDG 200

UK 230v: 071-0001, EU 230v: 071-0003

HEAT GUN WITH VARIABLE HEAT CONTROL

- Powerful 2000W Motor
- Max. Temperature of 630°C
- Variable Airflow Speed of 120 - 550L/min
- **Ideal For:** Stripping Paint & Varnish, Curing Glues & Epoxies, Waxing or Dewaxing, Softening & Forming Plastics, Removing Adhesive Labels & Graphics, Heating Liquids, Applying Heat Shrink & Film, Drying Out Damp Wood, Lifting Tiles & Edging Trim, Drying Paint or Varnish, Lighting Barbecues, Loosening Rusty Screws or Nuts & Removing Caulking
- 2 Years Limited Warranty

 **0.8 kg**
1 lbs



Carry Case Included



2000W



Variable Temperature
50°C - 630°C



Variable Airflow
120ltr/min - 550ltr/min

DIGITAL

Digital Display



+4 Nozzles



+Scraper

SDS4 800

UK 110v: 096-0002, UK 230v: 096-0001, EU 230v: 096-0003

FOUR FUNCTION HAMMER DRILL: DRILL, CHISEL, ROTATION & HAMMER

- 1.6 Joules of high impact energy
- 650W High-Torque Motor
- 0-1100min⁻¹ Variable Speed Function
- Adjustable Auxiliary Handle
- 2 Years Limited Warranty

SUPPLIED WITH:

- 3 x SDS Drill Bits
(6 x 160mm, 8 x 160mm, 10 x 160mm)
- 2 x Chisel Bits
(250mm Pointed Chisel & 250mm Flat Chisel)
- Carry Case

 **2.8 kg**
6 lbs



650W



0-1100min⁻¹



Max 13mm Ø



Max 20mm Ø



Max 30mm Ø



+ Carry Case

R225 DWS

UK 230v: 078-0001, EU 230v: 078-0003

225MM DRY WALL SANDER + 6 SANDING DISCS

- Extendable, LED Pivoting Head
- High Power with Variable Speed
- Integrated Dust Extraction
- Comfortable & Flexible Operation
- 2 Years Limited Warranty

ACCESSORIES INCLUDE:

- 6 Easy Mountable Sanding Discs:
Grits inc. 80 (078-0090), 120 (078-0091), 180 (078-0092) & 240 (078-0093)
- 4 Meter Hose which will fit most Vacuum Ports

5.8 kg
12.8 lbs




710W



600 - 1500 RPM



0° - 90°
Pivoting Head



H: 230mm W: 250mm L: 1450mm



225mm x6
60, 80, 120, 150, 180 & 240 Grits

EB225 DWSHH

UK 230v: 069-0001, EU 230v: 069-0003

225MM HAND-HELD DRY WALL SANDER

- High Power with Variable Speed
- Integrated Dust Extraction
- Easy Sanding Operation
- Adjustable Auxiliary Handle
- 2 Years Limited Warranty

SUPPLIED WITH:

- 6 Easy Mountable Sanding Discs:
Grits inc. 80 (078-0090), 120 (078-0091),
180 (078-0092) & 240 (078-0093)
- Dust Bag
- Belt Clip
- Hose



2.8 kg
6.2 lbs



1050W



1500-2300min⁻¹



+ 25L Dust Bag



+ Sanding Discs



+ Hose

MINI BELT SANDER

UK 230v: 063-0001, EU 230v: 063-0003

280W MULTIPURPOSE MINI BELT SANDER

- Soft-Grip
- Adjustable Belt Tracking
- **Ideal For:** Wood, Plastic & Paint Removal
- Extra Belts Available
- 2 Years Limited Warranty

SUPPLIED WITH:

- 3 Sanding Belts
Grits inc. 80 (BELTSANDP80),
100 (BELTSANDP100), 120, (BELTSANDP120)
- Dust Bag



1.4 kg
3 lbs



280W



40mm (L)



303mm (L)



40mm (W)



+ 3 Belts



+ Dust Bag

FILE SANDER

UK 230v: 062-0001, EU 230v: 062-0003

400W PRECISION FILE SANDER

- Variable Speed
- Dust Extraction Facility
- Adjustable Belt Tracking
- Rubber-Coated Grip
- Speed Control Dial
- Dust Sealed Bearings
- 120° Fully Adjustable Sanding Arm
- 2 Years Limited Warranty

SUPPLIED WITH:

- Single Wheeled Head (Flat Surfaces)
- Twin Wheeled Head (Angled Surfaces)
- Dust Bag
- 3 Sanding Belts
Grits inc. 80 (FILESANDP80),
100 (FILESANDP100), 120, (FILESANDP120)



1.75 kg
4 lbs



400W



1.215m/s2



457mm (L)



13mm (W)



+ 3 Belts



+ Dust Bag

HULK

HULK: 015-0001

400MM X 320MM PETROL POWERED COMPACTOR

WITH 4-STROKE OHV SINGLE CYLINDER ENGINE

- Ideal For: Crusher Run, Sand, Soil, Small Aggregates, Patio & Block Paving, Driveways & Tarmac Repair. With Excellent Surface Preparation.
- Easy-Fold Hinged Handle
- Easy-Pull Start
- Forced Air Cooling System
- 2.4HP / 1.5L Capacity Petrol Engine
- 2 Years Limited Warranty



 **38 kg**
84 lbs



Paving Pad
Sold Separately:
015-0007



2.4HP



3600min⁻¹



Max
46m/s²



10kN



Unleaded Petrol



+ 0.5L of Oil

HULK ELECTRO

400MM X 320MM ELECTRIC COMPACTOR

- Ideal For: Crusher Run, Sand, Soil Block Paving Preparation.
- Easy-Fold Hinged Handle
- Thick & Durable Base Plate
- Vibration Damper System
- Compact & Easily Storable
- Roll Bars For Increased Strength
- Low Frequency & High Amplitude
- 2 Years Limited Warranty

 **26 kg**
57 lbs



Paving Pad
Sold Separately:
015-0007



780W



2860min⁻¹



Max
7.43m/s²



5kN



No Fumes



Quiet 94dB(A)

EVO SYSTEM

EVO200: 014-0002

4-STROKE PETROL ENGINE

- Powers a Range of Outputs (see below)
- Robust & Durable Steel Frame
- Wheel Kit Provides Mobility
- Folding Handle for Storage
- Folding Output Frame
- Oil Low Sensor
- Patented Technology
- Quick Recoil Start
- Secure Foot Brake

 **29 kg**
63 lbs



6.5HP



3L Capacity



Oil Warning



20cm Ø




Foot Brake



3150min-1

QUICK RELEASE OUTPUT CHANGE

Evolution's Unique Quick Release Coupling Allows Easy Output Connectivity & Removal.



(Hose not included)

PRESSURE WASHER

PW3200: 014-0003

- Rated Pressure: 175bar
- Max. Pressure: 220bar
- Max. Flow Rate: 8L/min
- Detergent System: 1L
- Lance Included
- 2 Year Warranty



GENERATOR

GEN2800: 014-0004

- Power (Cont) 50Hz: 2.0kw / 2.0kVA
- Power (Max.) 50Hz: 2.4kw / 3kVA
- AC Output
- Sockets: 1 x 110v & 1 x 230v
- 2 Year Warranty



WATER PUMP

DWP1000: 014-0005

- Use with: 3" (75mm) Hose
- Suction Height: 8m
- Pump Lift: 28m
- Flow Rate: 1000L/min
- Max. Solids: 8mm
- 2 Year Warranty



EVOLUTION POWER TOOLS



4.5/5



www.reviews.co.uk

Venture One, Longacre Close,
Holbrook Industrial Estate
Sheffield, S20 3FR

0114 251 1022

www.evolutionpowertools.com